## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	426	yanagida.in.	USPAT	OR	OFF	2008/01/10 20:26
S2	249	yasuto.in.	USPAT	OR	OFF	2008/01/10 20:26
S3	5	S1 and S2	USPAT	OR	OFF	2008/01/10 20:26
S4	1874	nakata.in.	USPAT	OR	OFF	2008/01/10 20:29
S5	6909	tetsuo.in.	USPAT	OR	OFF	2008/01/10 20:29
S6	20	S4 and S5	USPAT	OR	OFF	2008/01/10 20:29
S7	6741	yoshiyuki.in.	USPAT	OR	OFF	2008/01/10 20:32
S8	773	ochi.in.	USPAT	OR	OFF	2008/01/10 20:32
S9	19	S7 and S8	USPAT	OR	OFF	2008/01/10 20:32
S10	1	JP-2001342989-\$.did.	DERWENT	OR	OFF	2008/01/10 20:41
S11	0	JP-01342989-\$.did.	DERWENT	OR	OFF	2008/01/10 20:43
S12	1	JP-2001240781-\$.did.	DERWENT	OR	OFF	2008/01/10 20:44
S13	1	JP-09264260-\$.did.	DERWENT	OR	OFF	2008/01/10 20:45
S14	0	WO-1999045276-\$.did.	DERWENT	OR	OFF	2008/01/10 20:49
S15	9672	nishimura.in.	DERWENT	OR	OFF	2008/01/10 20:51
S16	52	shunichi.in.	DERWENT	OR	OFF	2008/01/10 20:51
S17	1	S15 and S16	DERWENT	OR	OFF	2008/01/10 20:52
S18	495	(318/609).COLS.	USPAT; USOCR	OR	OFF	2008/01/14 07:23
S19	437	(318/610).COLS.	USPAT; USOCR	OR	OFF	2008/01/14 07:23
S20	625	S18 or S19	USPAT	OR	OFF	2008/01/14 07:24
S21	346	S20 and motor\$1	USPAT	OR	OFF	2008/01/14 07:27
S22	495	(318/609).CCLS.	USPAT; USOCR	OR	OFF	2008/01/14 07:33
S23	437	(318/610).CCLS.	USPAT; USOCR	OR	OFF	2008/01/14 07:33
S24	625	S22 or S23	USPAT	OR	OFF	2008/01/14 07:33
S25	346	S24 and motor\$1	USPAT	OR	OFF	2008/01/14 07:33

S26	12	S25 and (torque adj speed)	USPAT	OR	OFF	2008/01/14 07:33
S27	3519	motor\$1 and (torque adj speed)	USPAT	OR	OFF	2008/01/14 07:40
S28	3343	S27 and control\$3	USPAT	OR	OFF	2008/01/14 07:40
S29	581	S28 and ((pulse adj width adj modulation) or pwm)	USPAT	OR	OFF	2008/01/14 07:42
S30	140	S29 and ((horse adj power) or horsepower or hp)	USPAT	OR	OFF	2008/01/14 08:09
S31	19	("3781616"   "3838322"   "3991352"   "4461988"   "4649331"   "5029263"   "5032771"   "5121043").FN. OR ("5479081").URFN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 08:22
S32	975	(417/44.1).OOLS.	USPAT; USOCR	OR	OFF	2008/01/14 09:24
S33	313	(417/44.2).OCLS.	USPAT; USOCR	OR	OFF	2008/01/14 09:24
S34	139	(417/44.11).OOLS.	USPAT; USOCR	OR	OFF	2008/01/14 09:24
S35	0	(417/44.45).OOLS.	USPAT; USOCR	OR	OFF	2008/01/14 09:24
S36	538	(417/45).CQLS.	USPAT; USOCR	OR	OFF	2008/01/14 09:25
S37	381	(417/18).CQLS.	USPAT; USOCR	OR	OFF	2008/01/14 09:25
S38	0	("L11orL12orL13orL15orL16").PN.	USPAT; USOCR	OR	OFF	2008/01/14 09:25
<b>S3</b> 9	1471	S32 or S33 or S34 or S36 or S37	USPAT	OR	OFF	2008/01/14 09:26
S40	790	S39 and pressure	USPAT	OR	OFF	2008/01/14 09:27
S41	667	S40 and motor	USPAT	OR	OFF	2008/01/14 09:27
S42	189	S41 and feedback	USPAT	OR	OFF	2008/01/14 09:28
S43	60	["1406141"   "4108574"   "4197576"   "4215881"   "427603"   "4277832"   "4326837"   "4358322"   "4384825"   "4425805"   "4432683"   "4458321"   "4439614"   "4498643"),PN. OR ["4617637").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 09:55
S44	8	("3966358"   "4225290"   "4474104"   "4595495"   "4617637"   "4795314"   "4850805"   "5240380"),PN, OR ("6537032"),URPN,	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 09:57
S45	381	(318/430).COLS.	USPAT; USOCR	OR	OFF	2008/01/14 11:04
S46	182	(318/431).COLS.	USPAT; USOCR	OR	OFF	2008/01/14 11:04
S47	439	S45 or S46	USPAT	OR	OFF	2008/01/14 11:05
S48	283	S47 and start\$4	USPAT	OR	OFF	2008/01/14 11:06
S49	42	S48 and pump\$1	USPAT	OR	OFF	2008/01/14 11:06

S50	1418739	(pressure with flow with characteristic\$1) or (torque with speed characteristic\$1)	USPAT	OR	OFF	2008/01/14 11:21
S51	10053	(pressure with flow with characteristic\$1)	USPAT	OR	OFF	2008/01/14 11:21
552	0	torque with speed with characteristc\$1	USPAT	OR	OFF	2008/01/14 11:22
S53	0	(torque with speed with characteristc\$1)	USPAT	OR	OFF	2008/01/14 11:23
S54	0	(torque with speed) with characteristc\$1	USPAT	OR	OFF	2008/01/14 11:23
S55	5205	S51 and pump\$3	USPAT	OR	OFF	2008/01/14 11:24
S56	2489	S55 and motor\$1	USPAT	OR	OFF	2008/01/14 11:24
S57	822	S56 and voltage\$1	USPAT	OR	OFF	2008/01/14 11:24
S58	95630	("417").CLAS.	USPAT; USOCR	OR	OFF	2008/01/14 11:26
S59	75468	("318").CLAS.	USPAT; USOCR	OR	OFF	2008/01/14 11:26
S60	513	S51 and S58	USPAT	OR	OFF	2008/01/14 11:27
S61	805	S57 and contro\$5	USPAT	OR	OFF	2008/01/14 11:29
S62	448	S61 and (servo or feedback)	USPAT	OR	OFF	2008/01/14 11:30
S63	19	("4384825"   "4527953"   "5269659"   "5295790"). PN. OR ("5520517"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 12:11
S64	469	S60 not S62	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 12:36
S65	43	S64 and (horsepower or (horse adj power) or hp)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 12:37
S66	38	S51 and S59	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 12:40
S67	18	["2002014870"   "4055106"   "4194178"   "4639714"   "4955790"   "4998865"   "5120201"   "5507994"   "5670931"   "5810568"   "5908286"   "5997261"   "6112525"   "6159875"   "4850786"   "6624606"   "6702555"   "6901212"), PN, OR ("7282875"), URPN,	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 12:41
S68	626	pressure adj flow adj characteristic\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 12:49
S69	340	S68 and pump\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 12:49
S70	312	S69 and (control\$3 or feedback)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 12:51
S71	2	("3274938").URPN.	USPAT	OR	OFF	2008/01/14 13:05
S72	1398516	torque adj speed characteristic\$1	USPAT	OR	OFF	2008/01/14 13:10
S73	466	torque adj speed adj characteristic\$1	USPAT	OR	OFF	2008/01/14 13:11

S74	12	("20020105335"   "20040263101"   "4333042"   "5034675"   "5038090"   "5256697"   "5998952"   "6091216"   "63732111"   "6449117"   "6538412"   "6794839").FN. OR ("7312592").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 13:14
S75	21	("3851234"   "4320331"   "4322671"   "4361794").PN. OR ("4458192").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 14:20
S76	9	("4458192"   "4477762"   "4575667").PN. OR ("4611159").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 14:24
S77	1	"6900614".pn.	USPAT	OR	OFF	2008/01/14 15:35
S78	1	"4708112".pn.	USPAT	OR	OFF	2008/01/14 15:39
S79	24	discharge same pressure same flow same correspond\$5 same power same voltage	USPAT	OR	OFF	2008/01/14 15:58
S80	0	discharge with pressure with flow with correspond\$5 with power with voltage	USPAT	OR	OFF	2008/01/14 16:09
S81	190	(discharge adj pressure) with (discharge adj flow)	USPAT	OR	OFF	2008/01/14 16:10
S82	0	("7207173").URPN.	USPAT	OR	OFF	2008/01/14 16:12
S83	5	("4773369"   "4774921"   "5468126"   "5878721").PN. OR ("6161522").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 16:20
S84	153	S81 and pump\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 16:27
S85	0	(discharge adj pressure) with (discharge adj flow) with change\$3 with voltage	USPAT	OR	OFF	2008/01/14 16:36
S86	294	torque with speed with change\$3 with voltage	USPAT	OR	OFF	2008/01/14 16:37
S87	57	S86 and pump\$1	USPAT	OR	OFF	2008/01/14 16:38
S88	1	torque with speed with change\$3 with (voltage adj fluctuat\$4)	USPAT	OR	OFF	2008/01/14 16:46
S89	7	("4409530"   "4471283"   "4524399"   "4906910"   "4983891").PN. OR ("5266879").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 16:50
S90	30	torque with speed with change\$3 with (voltage adj (devia\$4 or change\$3))	USPAT	OR	OFF	2008/01/14 16:55
S91	139	(417/44.11).COLS.	USPAT; USOCR	OR	OFF	2008/01/15 14:57
S92	8	("3966358"   "4225290"   "4474104"   "4595495"   "4617637"   "4795314"   "4850805"   "5240380").PN. OR ("6537032").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/15 15:32
S93	4	("5076761"   "5447414"   "5971711"   "6109879"). PN. OR ("6364621").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/15 15:40
S94	179	maximum same pressure same flow same given same input same power same level	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/15 16:23
395	86	S94 and motor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/15 16:24
S96	110	S94 and pump\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/15 16:24
S97	130	S95 or S96	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/15 16:24

S98	66	maximum with pressure with flow with input with power	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/15 16:31
S99	538	(417/45).CCLS.	USPAT; USOCR	OR	OFF	2008/01/17 14:36
S100	0	("L15andflow").PN.	USPAT; USOCR	OR	OFF	2008/01/17 14:37
S101	234	S99 and flow	USPAT	OR	OFF	2008/01/17 14:37
S102	190	S101 and pressure	USPAT	OR	OFF	2008/01/17 14:38
S104	142	S102 and voltage	USPAT	OR	OFF	2008/01/17 14:39
S105	53	S104 and feedback	USPAT	OR	OFF	2008/01/17 14:39
S106	1	"20070020108".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:32
S107	9603773	US "20050283277" A1 .pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:40
S108	1	"20050283277".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:41
S109	1	"20050281681".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:42
S110	1	"20050281680".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:42
S111	1	"20040016821".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:43
S112	1	"20030198557".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:44
S113	1	"20030017055".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:46
S114	1	"20020136642".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:47
S115	1	"6468042".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:52
S116	1	"6354805".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:52
S117	1	"6330525".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:55
S118	1	"6260004".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:57
S119	1	"5725357".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:59
S120	1	"5149413".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:00
S121	1	"5091686".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:01
S122	1	"4644748".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:02
S123	2	soft with start\$3 with squirrel with cage with induction with motor\$1	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:10
S124	1	"6900614".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:13
S125	1857	(sample\$2 adj2 hold).ab.	USPAT	OR	OFF	2008/01/22 15:22

S126	201	S125 and motor\$1	USPAT	OR	OFF	2008/01/22 15:22
S127	16	S126 and pump\$1	USPAT	OR	OFF	2008/01/22 15:23
S128	121	S126 and (torque or speed)	USPAT	OR	OFF	2008/01/22 15:43
S129	53	S128 and (pressure or flow)	USPAT	OR	OFF	2008/01/22 15:43
S130	41	S129 not S127	USPAT	OR	OFF	2008/01/22 15:44
S131	0	wo-0121959-\$.did.	DERWENT	OR	OFF	2008/01/24 16:43
S132	1	wo-200121959-\$.did.	DERWENT	OR	OFF	2008/01/24 16:43
S133	1	EP-1134421-\$.did.	DERWENT	OR	OFF	2008/01/24 16:45
S134	1705	daikin.as.	USPAT	OR	OFF	2008/01/24 17:03
S135	327	S134 and pump\$1	USPAT	OR	OFF	2008/01/24 17:04
S136	207	S135 and control\$3	USPAT	OR	OFF	2008/01/24 17:04
S137	96	S136 and (conver\$3 or inver\$3)	USPAT	OR	OFF	2008/01/24 17:05
S138	302	S134 and motor\$1	USPAT	OR	OFF	2008/01/24 17:12
S139	272	S138 not S137	USPAT	OR	OFF	2008/01/24 17:12
S140	167	S139 and control\$3	USPAT	OR	OFF	2008/01/24 17:13
S141	60	S140 and (conver\$3 or inver\$3)	USPAT	OR	OFF	2008/01/24 17:13
S142	13	("4295085"   "4565957"   "4591767"   "4641066"   "4949021"   "5512811"   "5581168").PN. OR ("5834911").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 17:18
S143	139	(US-7314350-\$ or US-7271563-\$ or US-7267531-\$ or US-7267531-\$ or US-7267531-\$ or US-7267531-\$ or US-7267531-\$ or US-7163824-\$ or US-7163824-\$ or US-7163824-\$ or US-7163824-\$ or US-7163824-\$ or US-7163824-\$ or US-716873-\$ or US-718247-\$ or US-7100822-\$ or US-7100822-\$ or US-6987682-\$ or US-698828-\$	USPAT; USOCR	OR	OFF	2008/07/27

		6665327-\$ or US-6565327-\$ or US-6565327-\$ or US-6554577-\$ or US-6554573-\$ or US-6554573-\$ or US-6554577-\$ or US-6552751-\$ or US-652751-\$ or US-652751-\$ or US-652751-\$ or US-652751-\$ or US-652764-\$ or US-652761-\$ or US-652621-\$ or US-55261-\$ or US-5				
S144	143	(417/44.11).OOLS.	USPAT; USOCR	OR	OFF	2008/07/27 14:15
S145	4	S144 not S143	USPAT	OR	OFF	2008/07/27 14:15
S146	189	(US-727359-\$ or US-7217103-\$ or US-718320-\$ or US-718912-\$ or US-718912-\$ or US-716381-\$ or US-7121808-\$ or US-716381-\$ or US-7121808-\$ or US-71080508-\$ or US-708509-\$ or US-6954713-\$ or US-6954911-\$ or US-6954913-\$ or US-695498-\$ or US-6751941-\$ or US-6751941-\$ or US-6751941-\$ or US-6751942-\$ or US-6751941-\$ or US-6751942-\$ or US-6751942-\$ or US-6751942-\$ or US-6751943-\$ or US-6751944-\$ or US-675194-\$ or US-6751944-\$ or US-675194-\$ or US-675194-\$ o	USPAT	OR	OFF	2008/07/27 14:16

6616415-\$ or US-6592342-\$ or US-	
6558127-\$ or US-6555986-\$ or US- 6537033-\$ or US-6520930-\$ or US-	
6514047-\$ or US-6520930-\$ or US-	
6474949-\$ or US-6468042-\$ or US-	
6461113-\$ or US-6419454-\$ or US-	
6416291-\$ or US-6414455-\$ or US-	
6406266-\$ or US-6398509-\$ or US-	
6393338-\$ or US-6390780-\$ or US-	
6371732-\$ or US-6362591-\$ or US-	
6354805-\$ or US-6296450-\$ or US-	
6289680-\$ or US-6267559-\$ or US-	
6265786-\$).did. or (US-6259220-\$ or US-	
6208107-\$ or US-6167965-\$ or US-	
6164921-\$ or US-6158965-\$ or US-	
6142752-\$ or US-6095757-\$ or US-	
5071408-\$ or US-6068448-\$ or US-	
6056510-\$ or US-6045333-\$ or US-	
6041856-\$ or US-6022195-\$ or US- 5993163-\$ or US-5980211-\$ or US-	
5947689-\$ or US-5941305-\$ or US-	
5865602-\$ or US-5820349-\$ or US-	
5775879-\$ or US-5755559-\$ or US-	
5736823-\$ or US-5692882-\$ or US-	
5672051-\$ or US-5667362-\$ or US-	
5658132-\$ or US-5641270-\$).did. or (US-	
5634772-\$ or US-5630706-\$ or US-	
5606853-\$ or US-5597051-\$ or US-	
5580221-\$ or US-5577890-\$ or US-	
5563490-\$ or US-5527159-\$ or US-	
5522707-\$ or US-5520517-\$ or US-	
5496153-\$ or US-5492273-\$ or US-	
5482438-\$ or US-5447414-\$ or US-	
5443368-\$ or US-5441389-\$ or US- 5415528-\$ or US-5388761-\$ or US-	
5360320-\$ or US-5295790-\$ or US-	
5284423-\$ or US-5281100-\$ or US-	
5269659-\$ or US-5253981-\$ or US-	
5246076-\$ or US-5240380-\$ or US-	
5212765-\$).did. or (US-5201636-\$ or US-	
5176502-\$ or US-5163818-\$ or US-	
5156005-\$ or US-5141403-\$ or US-	
5141402-\$ or US-5120199-\$ or US-	
5110264-\$ or US-5090872-\$ or US-	
5083905-\$ or US-5061156-\$ or US-	
RE33620-\$ or US-5026256-\$ or US-	
4990058-\$ or US-4990057-\$ or US-	
4986919-\$ or US-4971522-\$ or US-	
4965713-\$ or US-4950235-\$ or US-	
4926942-\$ or US-4919596-\$ or US-	
4919595-\$ or US-4912587-\$ or US- 4869374-\$ or US-4858172-\$ or US-	
4856286-\$ or US-4850805-\$).did. or (US-	
4832575-\$ or US-4830576-\$ or US-	
4820129-\$ or US-4797207-\$ or US-	
4775481-\$ or US-4767279-\$ or US-	
4765150-\$ or US-4756291-\$ or US-	
4738118-\$ or US-4733152-\$ or US-	
4708594-\$ or US-4679264-\$ or US-	
4678404-\$ or US-4667480-\$ or US-	
4664685-\$ or US-4617637-\$ or US-	
4601640-\$ or US-4599046-\$ or US-	
4566868-\$ or US-4566858-\$ or US-	
4543891-\$ or US-4526513-\$ or US-	
4519748-\$ or US-4510425-\$ or US-	
4493613-\$ or US-4474104-\$ or US-	

		4473338-\$), did. or (US-RE31608-\$ or US- 4447191-\$ or US-4444546-\$ or US- 4436245-\$ or US-4397610-\$ or US- 4392782-\$ or US-439882-\$ or US- 4397098-\$ or US-439882-\$ or US- 437098-\$ or US-439883-\$ or US- 4355220-\$ or US-439583-\$ or US- 43511436-\$ or US-439515-\$ or US- 4265262-\$ or US-4275015-\$ or US- 4265262-\$ or US-4275015-\$ or US- 4268671-\$ or US-410375-\$ or US- 4208871-\$ or US-410375-\$ or US- 4208871-\$ or US-410375-\$ or US- 3953152-\$ or US-3855515-\$ or US- 3967507-\$ or US-3955515-\$ or US- 3947507-\$ or US-3855515-\$ or US- 394731679-\$), did.		***************************************	***************************************	
S147	984	(417/44.1).CCLS.	USPAT; USOCR	OR	OFF	2008/07/27 14:17
S148	320	(417/44.2).OOLS.	USPAT; USOCR	OR	OFF	2008/07/27 14:17
S149	143	(417/44.11).OQLS.	USPAT; USOCR	OR	OFF	2008/07/27 14:17
S150	541	(417/45).OOLS.	USPAT; USOCR	OR	OFF	2008/07/27 14:17
S151	382	(417/18).COLS.	USPAT; USOCR	OR	OFF	2008/07/27 14:17
S152	1489	S147 or S148 or S149 or S150 or S151	USPAT	OR	OFF	2008/07/27 14:17
S153	800	S152 and pressure	USPAT	OR	OFF	2008/07/27 14:17
S154	677	S153 and motor	USPAT	OR	OFF	2008/07/27 14:17
S155	192	S154 and feedback	USPAT	OR	OFF	2008/07/27 14:17
S156	3	S155 not S146	USPAT	OR	OFF	2008/07/27 14:17
S157	1	"3593103".pn.	USPAT	OR	OFF	2008/07/27 14:25
S158	8	torque with (supply near2 voltage near2 level) with speed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 12:23
S159	15	(torque near2 speed near2 curve\$1) with ((supply or power) near2 voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 12:32

<sup>12/30/2008 7:40:04</sup> PM

C:\ Documents and Settings\ dkasture\ My Documents\ EAST\ Workspaces\ Search for Application 10\_534690.wsp